

1 x 19 Type 304 Stainless Steel Cable		
Diameter Inches	Min Beaking Strength (lbs)	Weight per 100 ft. (lbs)
1/8	2,100	3.5
5/32	3,300	5.5
3/16	4,700	7.7
1/4	8,200	13.5
5/16	12,500	21
3/8	17,500	29.4

1 x 19 Type 316 Stainless Steel Cable		
Diameter Inches	Min Beaking Strength (lbs)	Weight per 100 ft. (lbs)
1/8	1,780	3.5
5/32	2,800	5.5
3/16	4,000	7.7
1/4	6,900	13.5
5/16	10,600	21
3/8	14,800	30

7 x 7 Type 304 Stainless Steel Cable		
Diameter Inches	Min Beaking Strength (lbs)	Weight per 100 ft. (lbs)
1/8	1,760	2.9
5/32	2,400	4.5
3/16	3,700	6.5
1/4	6,400	11
5/16	9,000	17.3
3/8	12,000	24.3

7 x 7 Type 316 Stainless Steel Cable		
Diameter Inches	Min Beaking Strength (lbs)	Weight per 100 ft. (lbs)
1/8	1,360	2.85
5/32	2,211	4.3
3/16	3,218	6.1
1/4	5,728	11.3
5/16	8,090	17.1
3/8	11,494	24.3

7 x 19 Type 304 Stainless Steel Cable		
Diameter Inches	Min Beaking Strength (lbs)	Weight per 100 ft. (lbs)
1/8	1,760	2.9
5/32	2,400	4.5
3/16	3,700	6.5
1/4	6,400	11
5/16	9,000	17.3
3/8	12,000	24.3

7 x 19 Type 316 Stainless Steel Cable		
Diameter Inches	Min Beaking Strength (lbs)	Weight per 100 ft. (lbs)
1/8	1,300	2.9
5/32	2,000	4.5
3/16	2,900	6.5
1/4	4,900	11
5/16	7,600	17.3
3/8	11,000	24.3

1 x 19 Galvanized Cable		
Diameter Inches	Min Beaking Strength (lbs)	Weight per 100 ft. (lbs)
1/8	2,100	3.5
5/32	3,300	5.5
3/16	4,700	7.7
1/4	8,200	13.5
5/16	12,500	21
3/8	17,500	30.1

7 x 19 Galvanized Cable		
Diameter Inches	Min Beaking Strength (lbs)	Weight per 100 ft. (lbs)
1/8	2,000	2.9
5/32	2,800	4.5
3/16	4,200	6.5
1/4	7,000	11
5/16	9,800	17.3
3/8	14,400	24.3

7 x 7 Galvanized Cable		
Diameter Inches	Min Beaking Strength (lbs)	Weight per 100 ft. (lbs)
1/8	1,700	2.8
5/32	2,600	4.3
3/16	3,700	6.2
1/4	6,100	10.6



25334 Avenue Stanford
Valencia, CA 91355

877.664.4224 • 661.257.7522

Fax: 661.257.7502

www.cableart.com